

SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Guardsman Food Machinery Alum Complex #2

Product Grades/Codes:

Guardsman Food Machinery Alum Complex#2 -34323D (Drum), 34323P (Pail)

1.2. Intended Use of the Product

See Technical Data Sheet.

1.3. Company Identification

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

1.4. Emergency Telephone Number

Emergency Number : CHEMTREC: (800)424-9300 or (703)527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Eye Irrit. 2;H319 Causes serious eye irritation

2.2. Label Elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows:



H319 Causes serious eye irritation.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do-continue rinsing.

P337+313 If eye irritation persists: Get medical advice / attention.

P391 Collect spillage.

P501 Dispose of contents / container in accordance with local / national regulations.

Date of Issue: 5/16/2016 Page **1** of **11**



SDS# 9205, Version 1.0

Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

HMIS Health: 2 Fire: 1 Physical: 0

Hazards: PPE: C

NFPA Health: 2 Fire: 1 Reactivity: 0

2.3. Other Hazards

The mixture contains no PBT/vPvB chemicals.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substances**

Not applicable

3.2. Mixture

Name	Product Identifier	% (w/w)	EC No. 1272/2008 Classification (GHS-US)
Mineral oil	(CAS No) 0008042-47-5	<80	Not Classified
Titanium dioxide	(CAS No) 0013463-67-7	<20	Not Classified
Oxoaluminum Stearate/Benzoate	(CAS No) Proprietary or N/A	<10	Not Classified
Benzoic acid	(CAS No) 0000065-85-0	<3	Acute Tox. 4;H302 Eye Dam.1;H318
Octadecanoic acid	(CAS No) 0000057-11-4	<3	Not Classified

^{*}The full texts of the phrases are shown in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. **Description of First Aid Measures**

General: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation: If inhaled, remove person to fresh air and keep comfortable for breathing. If breaking has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin Contact: In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

Eye Contact: In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Date of Issue: 5/16/2016 Page 2 of 11



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

4.2. Most Important Symptoms and Effects Both Acute and Delayed

No data available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

5.2. Special Hazards Arising from the Substance or Mixture

Hazardous Decomposition Products: May form CO and CO2.

5.3. Advice for Firefighters

Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from firefighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and Material for Containment and Cleaning Up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (see section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state and local environmental regulations.

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

Date of Issue: 5/16/2016 Page **3** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Handling – Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation. **In Storage** – Store in a dry location at room temperature. Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Keep away from strong oxidizing and reducing agents.

CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even thought that have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

7.3. Specific End Use(s)

There are no exposure scenarios, see details in section 1.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

The following occupational exposure limits have been established:

CAS Number	Ingredient	Source	Value
0000057-11-4	Octadecanoic acid	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit
0000065-85-0	Benzoic acid	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit
0008042-47-5	Mineral oil	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit
0013463-67-7	Titianium dioxide	OSHA ACGIH NIOSH	No Established Limit TWA 15 mg/m3 10 mg/m3 TWA
Proprietary or N/A	Oxoaluminum Stearate/Benzoate	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit

Date of Issue: 5/16/2016 Page **4** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Carcinogen Data

CAS Number	Ingredient	Source	Value	
0000057-11-4	Octadecanoic acid	OSHA	Select Carcinogen: No	
		IARC	Group 1: No; Group 2A: No;	
			Group 2B: No; Group 3: No;	
			Group 4: No	
0000065-85-0	Benzoic acid	OSHA	Select Carcinogen: No	
		IARC	Group 1: No; Group 2A: No;	
			Group 2B: No; Group 3: No;	
			Group 4: No	
0008042-47-5	Mineral oil	OSHA	Select Carcinogen: No	
		IARC	Group 1: No; Group 2A: No;	
			Group 2B: No; Group 3: No;	
			Group 4: No	
0013463-67-7	Titianium dioxide	OSHA	Select Carcinogen: No	
		IARC	Group 1: No; Group 2A: No;	
			Group 2B: No; Group 3: Yes;	
			Group 4: No	
Proprietary or N/A	Oxoaluminum Stearate/Benzoate	OSHA	Select Carcinogen: No	
		IARC	Group 1: No; Group 2A: No;	
			Group 2B: No; Group 3: No;	
			Group 4: No	

DNEL/PNEC Values

No Data Available.

8.2. Exposure Controls

No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/Face Protection

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

Skin Protection

Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other

Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

Respiratory Protection

Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

Thermal Hazards

No Data Available.

Date of Issue: 5/16/2016 Page **5** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Grease
Appearance : Amber

Odor Petroleum odor **Odor Threshold** Not available Not available рΗ **Evaporation Rate** Not available **Melting Point** Not available Not available **Boiling Point Flash Point** >180 C **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Not available Flammability (solid, gas) **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Heavier than air

Relative Density : 1.0487

Solubility : Negligible

Partition Coefficient: N-Octanol/Water : Not available

Viscosity : Not available

Viscosity, Kinematic : Not available

Explosive Properties : Product is not explosive

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge

The data listed above are typical physical and chemical properties that do not constitute product specification.

9.2. Other information: DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** No data available.
- 10.2. Chemical Stability: Material is normally stable at ambient temperature and pressure.
- **10.3.** Possibility of Hazardous Reactions: May react with: oxidizing agents.
- **10.4. Conditions to Avoid:** High temperatures, sparks, and open flames.
- **10.5. Incompatible Materials:** Keep away from strong oxidizing and reducing agents.
- 10.6. Hazardous Decomposition Products: Thermal decomposition generates: carbon oxides (CO, CO₂).

Date of Issue: 5/16/2016 Page **6** of **11**

SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50,	Inhalation vapor LD50, mg/L/4hr
Benzoic acid – (0000065-85-0)	Not Available	Not Available	Not Available
		Available	
Mineral oil- (0008042-47-5)	10,000.99, Rat	Not	Not Available
		Available	
Octadecanoic- (0000057-11-4)	Not Available	Not	Not Available
		Available	
Oxoaluminum Stearate/ Benzoate –	Not Available	Not	Not Available
(Proprietary or N/A)		Available	
Titanium dioxide – (0013463-67-7)	10,000.00, Rat	Not	Not Available
		Available	

Acute Toxicity: Not classified

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: 2 Causes serious eye

irritation

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system. **Symptoms/Injuries After Skin Contact:** Repeated or prolonged skin contact may cause irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not Classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

Ecology - General: Toxic to aquatic life.

Date of Issue: 5/16/2016 Page **7** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Mineral oil- (0008042-47-5)	10.00, Lepomis macrochirus	Not Available	Not Available
Titanium dioxide – (00136463-	1,000.00, Fundulus heteroclitus	5.50, Daphnia magna	5.83 (72 hr),
67-7)			Pseudokirchneriella subcapitata
Oxoaluminum Stearate /	Not Available	Not Available	Not Available
Benzoate – (Proprietary or N/A)			
Benzoic acid – (0000065-85-0)	44.60, Fish (Piscis)	100.00 Daphnia magna	9.00 (00 hr), Anabaenia
			inaequalis
Octadecanoic acid – (0000057-	Not Available	Not Available	Not Available
11-4)			

12.2. Persistence and Degradability

Not available

12.3. Bioaccumulative Potential

Not available

12.4. Mobility in Soil

Not available

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number Not applicable

14.2. UN proper shipping name Not regulated for transport

14.3. Transport hazard class(es)

Date of Issue: 5/16/2016 Page **8** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

US DOT Label Not regulated for transport

ADR/RID Environmentally Hazardous: Yes- Not regulated IMDG Marine Pollutant: Yes (Mineral oil) -Not regulated

Sub Class Not applicable

14.4. Packing group Not applicable

14.5 Environmental hazards

ADR/RID Environmentally Hazardous: No – Not regulated

IMDG Marine Pollutant: No – Not regulated

14.6 Special precautions for user No further information

14.7 Transport in bulk according to

Annex II of MARPOL 73/78 Not applicable

and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA Section 311/312 Hazard Classes	Not applicable
SARA 313 (>0.1%):	Not applicable
CERCLA (>0.1%):	Not applicable
Inventory – Canada – Non- Domestic Substances List (NDSL):	Not applicable
California Proposition 65 Cancer:	Not applicable
California Proposition 65 Developmental:	Not applicable
California Proposition 65 Female Reproductive:	Not applicable
California Proposition 65 Male Reproductive:	Not applicable
Inventory – Australia – Inventory of Chemical Substances (AICS):	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydrioxy-, thiodi-2,1-ethanediyl ester Benzoic acid Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-Octadecanoic acid Oxoaluminum Stearate/Benzoate Titanium dioxide; Mineral Oil

Date of Issue: 5/16/2016 Page **9** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Inventory – Japan Existing and New Chemical Substances (ENCS):	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (5-425; 5-3496) Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydrioxy-, thiodi-2,1-ethanediyl ester (3-3094) Benzoic acid (3-1397) Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-(2-1226; 2-2679; 9-1930) Octadecanoic acid (2-608; 2-609) Oxoaluminum Stearate/Benzoate Titanium dioxide (1-558; 5-5225) Mineral oil
Korean Existing Chemicals Inventory: Inventory of Existing Chemical Substances in China:	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydrioxy-, thiodi-2,1-ethanediyl ester Benzoic acid Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-Octadecanoic acid Oxoaluminum Stearate/Benzoate Titanium dioxide Mineral oil Oxoaluminum Stearate/Benzoate
inventory of existing Chemical Substances in China.	Mineral oil
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydrioxy-, thiodi-2,1-ethanediyl ester Benzoic acid Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-Octadecanoic acid Oxoaluminum Stearate/Benzoate Titanium dioxide Mineral oil
Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical	Not applicable
EU REACH: Annex XVII, Dangerous Substances and Preparations:	Not applicable

Date of Issue: 5/16/2016 Page **10** of **11**



SDS# 9205, Version 1.0 Effective Date 5/16/2016

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Inventory – European Union – European Inventory of Existing Commercial Chemical Substances (EINECS):	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (202-414-9)
	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (279-632-6) Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-
	4-hydrioxy-, thiodi-2,1-ethanediyl ester (255-392-8) Benzoic acid (200-618-2)
	Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-(203-749-3)
	Octadecanoic acid (200-313-4) Oxoaluminum Stearate/Benzoate
	Titanium dioxide (236-675-5) Mineral oil (232-455-8)
EU List of Notified Chemical Substances (ELINCS):	Not applicable

Risk Phrases – R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

The full text of the phrases appearing in section 3 is: H302 Harmful if swallowed H318 Causes serious eye damage

Revision Date : 5/16/2016

Other Information : This information has been compiled from sources considered to be dependable and is

accurate to the best our North American Lubricants Company's knowledge.

Party Responsible for the Preparation of This Document

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

Date of Issue: 5/16/2016 Page **11** of **11**