## **Safety Data Sheet**

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## **SECTION 1: IDENTIFICATION**

#### 1.1. Product Identifier

Product Name: Guardsman Synthetic Hi-Temp FM Chain Oil

Product Grades/Codes: Guardsman Synthetic Hi-Temp FM Chain Oil – 34301D30 (Drum), 34301P50 (Pail)

#### 1.2. Intended Use of the Product

See Technical Data Sheet.

#### 1.3. Company Identification

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

#### **1.4.** Emergency Telephone Number

Emergency Number : CHEMTREC: (800)424-9300 or (703)527-3887

## SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

Not Classified

#### 2.2. Label Elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows:

#### Not Classified

HMIS	Health: 0 Fire: 1 Physical: 0 Hazards:	NFPA	Health: 0 Fire: 1 Reactivity: 0
	PPE: C		Special Hazards:

#### 2.3. Other Hazards

The mixture contains no PBT/vPvB chemicals.

# **ONALY AMERICAN LUBRICANTS**

## Safety Data Sheet

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

% (w/w)	EC No. 1272/2008 Classification (GHS-US)
<90	Not Classified
<10	Not Classified
<3	Not Classified
	<90 <10

\*The full texts of the phrases are shown in Section 16.

#### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First Aid Measures

**General:** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

**Inhalation:** If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

**Skin Contact:** In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

**Eye Contact:** In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER, emergency medical center, or doctor/physician.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

No data available.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Hazardous Decomposition Products: May form CO and CO2.

#### 5.3. Advice for Firefighters

Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from firefighting to enter drains or water courses. Date of Issue: 11/14/2019 Page 2 of 9

## Safety Data Sheet

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Report spills as required to appropriate authorities in accordance with all applicable regulations.

#### 6.3. Methods and Material for Containment and Cleaning Up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (see section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state and local environmental regulations.

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Handling – Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation.

**In Storage** – Store in a dry location at room temperature. Keep this container, and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Keep away from strong oxidizing and reducing agents.

CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even thought to have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

### 7.3. Specific End Use(s)

There are no exposure scenarios; see details in section 1.



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. **Control Parameters**

#### The following occupational exposure limits have been established:

CAS Number	Ingredient	Source	Value
0008042-47-5	Mineral Oil	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary or N/A	Synthetic Base	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

### Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10 mg/m3 ACGIH

### **Carcinogen Data**

CAS Number	Ingredient	Source	Value
0008042-47-5	Mineral Oil	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No;
			Group 2B: No; Group 3: No;
			Group 4: No
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No;
			Group 2B: No; Group 3: No;
			Group 4: No
Proprietary or N/A	Synthetic Base Stock	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No;
			Group 2B: No; Group 3: No;
			Group 4: No

#### **DNEL/PNEC** Values

No Data Available.

#### 8.2. **Exposure Controls**

No special requirements under ordinary conditions of use and with adequate ventilation.

#### **Eye/Face Protection**

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

#### **Skin Protection**

Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.



## **Safety Data Sheet**

### Other

Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

#### **Respiratory Protection**

Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

#### **Thermal Hazards**

No Data Available.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

•		•
Appearance	:	AMBER OILY LIQUID
Odor	:	Petroleum Odor
Odor Threshold	:	Not Determined
рН	:	Not Determined
Melting Point / Freezing Point (C)	:	Not Determined
Initial Boiling Point and Boiling Range (C)	:	Not Measured
Flash Point (C)	:	200
Evaporation Rate (H20=1)	:	Not Determined
Flammability (solid, gas)	:	Not Applicable
Upper/Lower Flammability or Explosive limits		
Lower Explosive Limit	:	Not Determined
Upper Explosive Limit	:	Not Determined
Vapor Pressure (Pa)	:	Not Determined
Vapor Density	:	Heavier than air
Relative Density	:	0.8491
Solubility(ies)	:	Negligible
Partition Coefficient: N-Octanol/Water (Log Kow)	:	Not Determined
Auto-Ignition Temperature (C)	:	Not Determined
Decomposition Temperature	:	Not Determined
Viscosity (cST) @ 100 C	:	Not Measured
Viscosity (cST) @ 40 C	:	Not Measured
Pour Point Temperature (C)	:	Not Determined
Volatile Organic Compounds	:	Nil
SADT	:	Not Determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

#### 9.2. Other Information

DMSO extract by IP346: Less than 3.0 wt% (mineral oil component only)

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

#### **Chemical Stability** 10.2.

Material is normally stable at ambient temperature and pressure.

#### 10.3. **Possibility of Hazardous Reactions**

May react with: oxidizing agents.

#### 10.4. **Conditions to Avoid**

High temperatures, sparks, and open flames.

#### 10.5. **Incompatible Materials**

Keep away from strong oxidizing and reducing agents.

#### 10.6. **Hazardous Decomposition Products**

Hazardous decomposition: May form CO and CO2.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### **Acute Toxicity** 11.1.

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50 mg/kg	Skin LD50 mg/kg	Inhalation Vapor LD50 mg/L/4hr
Mineral Oil (0008042-47-5)	10,000.99, Rat	Not Available	Not Available
Butene, polymer with 2-methyl-1-propene (0009044-17-1)	Not Available	Not Available	Not Available
Synthetic Base Stock (Proprietary or N/A)	Not Available	Not Available	Not Available

Classification	Category	Hazard Description
Acute Toxicity (Oral)	Not Classified	Not Applicable
Acute Toxicity (Dermal)	Not Classified	Not Applicable
Acute Toxicity (Inhalation)	Not Classified	Not Applicable
Skin Corrosion/Irritation	Not Classified	Not Applicable
Serious Eye Damage/Irritation	Not Classified	Not Applicable

## Guardsman Synthetic Hi-Temp FM Chain Oil SDS# 9208, Version 1.0 Effective Date 11/14/2019

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Respiratory Sensitization	Not Classified	Not Applicable
Skin Sensitization	Not Classified	Not Applicable
Germ Cell Mutagenicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive Toxicity	Not Classified	Not Applicable
STOT – Single Exposure	Not Classified	Not Applicable
STOT – Repeated Exposure	Not Classified	Not Applicable
Aspiration Hazard	Not Classified	Not Applicable

## SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment. See Sections 2 and 3 for details.

#### **Aquatic Ecotoxicity**

Ingredient	90 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Mineral Oil (0008042-47-5)	10.00, Lepomis macrochirus	Not Available	Not Available
Butene, polymer with 2-methyl-1-propene (0009044-17-1)	Not Available	Not Available	Not Available
Synthetic Base Stock (Proprietary or N/A)	Not Available	Not Available	Not Available

#### 12.2. Persistence and Degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative Potential

Not Measured

#### 12.4. Mobility in Soil

No Data Available

#### **12.5.** Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No Data Available

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods; recycle used oil. Do not contaminate used oil with solvents or other chemicals.

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1. **US Number**

Not Applicable

#### 14.2. **UN Proper Shipping Name**

Not Regulated

#### 14.3. **Transport Hazard Class(es)**

US DOT Label	Not Regulated
ADR/RID	Not Regulated
IMDG	Not Regulated
Sub Class	Not Applicable
ICAO/IATA	Not Regulated

#### **Packing Group** 14.4.

Not Applicable

#### **Environmental Hazards** 14.5.

ADR/RID Environmentally Hazardous: No – Not Regulated IMDG Marine Pollutant: No - Not Regulated

#### **Special Precautions for User** 14.6.

No further information.

#### Transport in Bulk According to Annex II of MARPOL73/78 and the IBC Code 14.7.

Not Applicable

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions. Shipping description may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. For information specific to your situation, consult your company's Hazardous Materials/Dangerous Goods expert.



## Safety Data Sheet

## SECTION 15: REGULATORY INFORMATION

#### 15.1. **US Federal Regulations**

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA Section 311/312 (>0.1%)	Not Applicable
SARA 313 (>0.1%)	Not Applicable
CERCLA (>0.1%)	Not Applicable
Inventory – Canada – Non- Domestic Substances List (NDSL)	Not Applicable
California Proposition 65 Cancer	Not Applicable
California Proposition 65 Developmental	Not Applicable
California Proposition 65 Female Reproductive	Not Applicable
California Proposition 65 Male Reproductive	Not Applicable
Inventory – Australia – Inventory of Chemical Substances (AICS)	Mineral Oil
Inventory – Japan Existing and New Chemical Substances (ENCS)	Mineral Oil ()
Korean Existing Chemicals Inventory	Mineral Oil
Inventory of Existing Chemical Substances in China	Mineral Oil
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Butene, polymer with 2-methyl-1-propene,
	Mineral Oil
Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical	Not applicable
EU REACH: Annex XVII, Dangerous Substances and Preparations	Not applicable
Inventory – European Union – European Inventory of Existing Commercial	Mineral Oil (232-455-8)
EU List of Notified Chemical Substances (ELINCS)	Not applicable

Risk Phrases – Not Classified

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

### **Revision Date Other Information**

#### : 11/14/2019

: This information has been compiled from sources considered to be dependable and is accurate to the best our North American Lubricants Company's knowledge.

### Party Responsible for the Preparation of This Document

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. North American Lubricants Company assumes no responsibility for injury from the use of the product described herein.

North America GHS US 2012 & WHMIS 2