1910.1200

Safety Data Sheet

SECTION 1: Identification of the su	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Mixture		
Trade name	: PURATECH HIGH MILEAGE OIL SUPPLEMENT 12 FL.OZ.		
Product code	: 2010601080		
1.2. Relevant identified uses of the su	.2. Relevant identified uses of the substance or mixture and uses advised against		
Use of the substance/mixture	: Oil Treatment		
1.3. Details of the supplier of the safet	y data sheet		
NORTH AMERICAN LUBRICANTS 7337 E DOUBLETREE RANCH RD SCOTTSDALE, AZ 85258-2172 T 800-430-6252			
1.4. Emergency telephone number			
Emergency number	: CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)		
SECTION 2: Hazards identification			
2.1. Classification of the substance or	mixture		
Classification (GHS-US)			
Acute Tox. 4 (Inhalation:dust,mist) H332			
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H332 - Harmful if inhaled		
Precautionary statements (GHS-US)	 P261 - Avoid breathing dust,fume,gas,mist,vapor spray P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a POISON CONTROL CENTER, doctor, if you feel unwell. 		
2.3. Other hazards			
Other hazards not contributing to the classification	: None under normal conditions.		
2.4. Unknown acute toxicity (GHS US)			
No data available			
SECTION 3: Composition/informat	ion on ingredients		
3.1. Substance			

Not applicable

not applie

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Distillates (Petroleum), Hydrotreated Heavy Naphthenic	(CAS No) 64742-52-5	>= 95	Not classified
Ethene/ Hexadiene/ Propene, Terpolymers	(CAS No) 25038-37-3	1 - 5	Not classified
The exact percentage is a trade secret.		· · · · · · · · · · · · · · · · · · ·	

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

SDS# 3013, Version 1.0

Effective Date 6/1/2015

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: If you feel unwell, seek medical advice. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: May cause slight irritation . Red skin. Itching. Skin rash/inflammation.
Symptoms/injuries after eye contact	: May cause slight eye irritation . Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue.
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sub	
No additional information available	
5.3. Advice for firefighters	. The contraction of the former line contraction of Exception and the contraction of the
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	lipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	
For containment	: Dam up the liquid spill. Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or
r restations for sale nanuling	. Water hands and other exposed areas with mild soap and water before eating, difficing of

PURATECH High Mileage Oil Supplement

SDS# 3013, Version 1.0

Effective Date 6/1/2015

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includir	g any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s) Follow Label Directions.	

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

PURATECH HIGH MIL	EAGE OIL SUPPLEMENT 12 FL.OZ.		
USA ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³ Mist 8 Hours	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³ Mist 8 Hours	
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)			
USA ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³ Inhalable fraction	
Ethene/ Hexadiene/ P	ropene,Terpolymers (25038-37-3)		
USA ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ (Particulates (insoluble or poorly soluble)(NOS); USA; Time-weighted average	

Appropriate engineering controls

Personal protective equipment

- : Local exhaust venilation, vent hoods.
- : Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Colorless to pale yellow liquid.		
Color	: Light amber.		
Odor	: Petroleum-like odour. Mild.		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: >260 °C		
Flash point	: > 182 °C		
Auto-ignition temperature	: > 343 °K		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: < 0.001 mm Hg		
21/07/2015	EN (English US)		

According to OSHA Hazard Communication Standard, 29 CFR

1910.1200

SDS# 3013, Version 1.0

Effective Date 6/1/2015

Safety Data Sheet

Relative	vapor density at 20 °C	:	> 5 Air=1
Relative	density	:	0.9
Solubility		:	Poorly soluble in water.
Log Pow		:	No data available
Log Kow		:	No data available
Viscosity, kinematic		:	No data available
Viscosity, dynamic		:	No data available
Explosive	e properties	:	No data available
Oxidizing properties		:	No data available
Explosion limits		:	No data available
9.2.	Other information		
VOC aar	toot		0.0/
VOC con	lieni	•	0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions Not established.

NUL ESTADIISTIEU.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Inhalation:dust,mist: Harmful if inhaled.

Distillates (Petroleum), Hydrotreated Heavy	Naphthenic (64742-52-5)
LD50 oral rat	> 5000 ml/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.18 mg/l/4h
Ethene/ Hexadiene/ Propene, Terpolymers (2	25038-37-3)
LD50 oral rat	> 7500 mg/kg (Rat)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: May cause slight irritation . Red skin. Itching. Skin rash/inflammation.

SDS# 3013, Version 1.0

Effective Date 6/1/2015

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Symptoms/injuries after	eye contact	: May cause slight eye irritation . Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue.
Symptoms/injuries after	ingestion	: May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.
SECTION 12: Ecol	ogical information	
12.1. Toxicity		
Distillates (Petroleum	n), Hydrotreated Heavy N	Naphthenic (64742-52-5)
EC50 Daphnia 1		> 1000 mg/l 48 HOURS
12.2. Persistence a	and degradability	
PURATECH HIGH MIL	LEAGE OIL SUPPLEMEN	NT 12 FL.OZ.
Persistence and degra	dability	Not established.
Distillates (Petroleum	n), Hydrotreated Heavy N	Vaphthenic (64742-52-5)
Persistence and degra		Not established.
Ethene/ Hexadiene/ P	Propene, Terpolymers (25	5038-37-3)
Persistence and degra		Biodegradability in water: no data available. Not established.
12.3. Bioaccumula	tive potential	
	LEAGE OIL SUPPLEMEN	NT 12 FL.OZ.
Bioaccumulative poten		Not established.
	n), Hydrotreated Heavy N	
Bioaccumulative poten		Not established.
	Propene,Terpolymers (25	
Bioaccumulative poten		No bioaccumulation data available. Not established.
		No bioaccumulation data available. Not established.
12.4. Mobility in so		
No additional information	n available	
12.5. Other adverse	e effects	
Other information		: Avoid release to the environment.
		· · · · · · · · · · · · · · · · · · ·
SECTION 13: Disp	osal consideration	S
13.1. Waste treatm	ent methods	
Waste disposal recomm	endations	: Use appropriate containment to avoid environmental contamination. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations Dispose in a safe manner in accordance with local/national
	1-	regulations.
Ecology - waste materia	IS	: Avoid release to the environment.
SECTION 14: Tran	sport information	
	/ RID / IMDG / IATA / AD	N
US DOT (ground):	Not regulated,	
ICAO/IATA (air):	Not regulated,	
. ,	-	
IMO/IMDG (water):	Not regulated,	
14.2. UN proper sh		
Proper Shipping Name (DOT)	: Not regulated
14.3. Additional infor	mation	
Other information		: No supplementary information available.
Overland transport No additional information	n available	
Transport by sea		
	e le centre la la la	
No additional information	n available	
No additional information Air transport No additional information		

ONALTH AMERICAN LUBRICANTS

SDS# 3013, Version 1.0

Safety Data Sheet

Effective Date 6/1/2015 According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 15: Regulatory information		
15.1. US Federal regulations		
PURATECH HIGH MILEAGE OIL SUPPLEMENT 12 FL.OZ.		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on on the United States EPA list of carcinogens		
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard	
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard		

15.2. International regulations

CANADA

PURATECH HIGH MILEAGE OIL SUPPLEMENT 12 FL.OZ.		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)		
Listed on the Canadian DSL (Domestic Sustances List)		

EU-Regulations

PURATECH HIGH MILEAGE OIL SUPPLEMENT 12 FL.OZ.		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45

Full text of R-phrases: see section 16

15.2.2. National regulations

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

ielei ee elale regulatione					
PURATECH HIGH MILEAGE OIL SUPPLEMENT 12 FL.OZ.					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity -	U.S California - Proposition 65 - Reproductive Toxicity -	No significant risk level (NSRL)	

PURATECH High Mileage Oil Supplement

SDS# 3013, Version 1.0

Effective Date 6/1/2015

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Ethene/ Hexadiene/ Propene,Terpolymers (25038-37-3)							
			Female		Male		
No	No		No		No		
SECTION 16: Other in	nformation						
Other information		: None.					
Full text of H-phrases:							
Acute Tox. 4 (Inhalation:dust,mist)				Acute toxicity (inhalation:dust,mist) Category 4			
H332				Harmful if	inhaled		
NFPA health hazard			osure could cause ven if no treatment		only minor residual		
NFPA fire hazard		: 1 - Must be preheated before ignition can occur.					
NFPA reactivity			nally stable, even not reactive with v		posure conditions,	0	
HMIS III Rating							

······	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.