# **Safety Data Sheet**

# **SECTION 1: IDENTIFICATION**

# 1.1. Product Identifier

Product Form: Not Classified Product Name: PURAMAX Industrial Oil Product Grades/Codes: PURAMAX Industrial Oil 220 – 2211421010 (Bulk)

# **1.2.** Intended Use of the Product Industrial fluid

# 1.3. Company Identification

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

# **1.4.** Emergency Telephone Number

Emergency Number : CHEMTREC: (800)424-9300 or (703)527-3887

# SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

### **Classification (GHS-US)**

Not Classified

# 2.2. Label Elements

GHS-US Labeling Hazard Pictograms (GHS-US) : None Required

 Signal Word (GHS-US)
 : Not Hazardous

 Hazard Statements (GHS-US)
 : None Required

 Precautionary Statements (GHS-US)
 : P273 - Avoid release to the environment.

P273 - Avoid release to the environment. P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

# 2.3. Other Hazards

This product contains no PBT/vPvB chemicals.

# 2.4. Unknown Acute Toxicity (GHS-US)

# **ONALTH AMERICAN LUBRICANTS**

# Safety Data Sheet

9.73 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Petroleum distillates, hydrotreated heavy paraffin	(CAS No) 0064742-54-7	<100	Not Classified

\*Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

## 4.1. Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible). **Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**Ingestion:** Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: No known significant effects or critical hazards.

**Inhalation:** Overexposure may be irritating to the respiratory system.

**Skin Contact:** Repeated or prolonged skin contact may cause irritation.

Eye Contact: Direct contact with the eyes is likely irritating.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: No known significant effects or critical hazards.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

# SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire; carbon dioxide (CO2), dry chemical, or foam. Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable but will support combustion.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

# **ONALTH AMERICAN LUBRICANTS**

# Safety Data Sheet

PURAMAX Industrial Oil (All Grades) SDS# 9012, Version 1.0 Effective Date 6/1/2015

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Do not allow runoff water and contaminants from the fire to enter drains or water courses.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Under fire conditions, may produce fumes, smoke, oxides of carbon and hydrocarbons.

Other Information: Refer to Section 9 for flammability properties.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and Material for Containment and Cleaning Up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth vermiculite. Place in closed containers outside the buildings and dispose of according to the Waste Regulations (See section 13).

Clean, preferably with a detergent. Do not use solvents.

If drains, sewers, streams or lake are contaminated, inform the local water company immediately. In the case of contamination or rivers, streams or lakes, the Environmental Protection Agency should also be informed. Dispose of in accordance with the federal, state, and local environmental regulations.

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Handling:** Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation. **In Storage:** Store in a dry location at room temperature. Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from

# Safety Data Sheet

PURAMAX Industrial Oil (All Grades) SDS# 9012, Version 1.0 Effective Date 6/1/2015 According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

direct sunlight, extremely high or low temperatures and incompatible materials. CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

# 7.3. Specific End Use(s)

There are no exposure scenarios.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

CAS Number	Ingredient	Source	Value
0064742-54-7	PETROLEUM DISTILLATES,	OSHA	No Established Limit
HYDROTREATED HEAVY PARAFFIN	ACGIH	No Established Limit	
		NIOSH	No Established Limit

## Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

CAS Number	Ingredient	Source	Value
0064742-54-7		OSHA	Select Carcinogen: No
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

#### **DNEL/PNEC** values

No Data Available.

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves.



# Safety Data Sheet

PURAMAX Industrial Oil (All Grades) SDS# 9012, Version 1.0 Effective Date 6/1/2015 According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

5.1. Information on Basic r hysical and cher	inc	
Physical State	:	Liquid
Appearance	:	Amber
Odor	:	Petroleum Odor
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Boiling Point	:	>315C
Flash Point	:	212C (414F)
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20 °C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	0.87
Solubility	:	Negligible
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Viscosity, Kinematic	:	Not available
Explosive Properties	:	Product is not explosive
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge

## 9.2. Other Information

DMSO extract by IP346: Less than 3.0 wt% (mineral oil component only)

# Safety Data Sheet

# SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** No data available.
- **10.2.** Chemical Stability: Material is normally stable at ambient temperature and pressure.
- 10.3. Possibility of Hazardous Reactions: May react with: oxidizing agents.
- 10.4. Conditions to Avoid: High temperature, sparks, and open flames.
- **10.5.** Incompatible Materials: Keep away from strong oxidizing and reducing agents.
- **10.6.** Hazardous Decomposition Products: Hazardous Decomposition Products: May form CO and CO2.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

- Reproductive Toxicity: Not classified
- Specific Target Organ Toxicity (Single Exposure): Not classified
- Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: Repeated or prolonged skin contact may cause irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse gastrointestinal effects.

Chronic Symptoms: Not Classified

# SECTION 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN- (0064742-54-7)	Not Available	Not Available	Not Available

# Safety Data Sheet

12.2. Persistence and Degradability
Not available
12.3. Bioaccumulative Potential
Not available
12.4. Mobility in Soil
Not available
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.

#### 12.6. Other Adverse Effects

No data available

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

### **SECTION 14: TRANSPORT INFORMATION**

14.1.	In Accordance with DOT	Not regulated for transport
14.2.	In Accordance with IMDG	Not regulated for transport
14.3.	In Accordance with IATA	Not regulated for transport
14.4.	In Accordance with TDG	Not regulated for transport
14.5	In Accordance with ARD/RID	Not regulated

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. US Federal Regulations

SARA Section 311/312 Hazard Classes	Not Classified

#### **15.2.** US State Regulations

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory. SARA 311/312 (>0.1%): Not applicable SARA 313 (>0.1%): Not applicable

CERCLA (>0.1%): Not applicable

#### Inventory - Canada - Non-

# **Safety Data Sheet**

**Domestic Substances List** (NDSL): Not applicable California Proposition 65 Cancer: Not applicable **California Proposition 65 Developmental:** Not applicable California Proposition 65 Female Not applicable **Reproductive: California Proposition 65 Male Reproductive:** Not applicable

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

# **Revision Date**

#### : 05/16/2015

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

# GHS Full Text Phrases:

Р273	Avoid release into the environment
P501	Dispose of contents/container in accordance with local, regional, national, and international
	regulations.

### Party Responsible for the Preparation of This Document

North American Lubricants Company 7337 E. Doubletree Ranch Road, Suite 180 Scottsdale, AZ 85258 (800)430-6252 www.nalube.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2